Month:	Consume	er:									Med	licai	id ID):													-				
5:Total Assistance	4:Maximal	Assist	ance	!	3:	:Mo	dera	ate .	Assis	stan	ce	2:	Mir	nima	l As:	sista	nce	1	:Ma	xim	al In	idep	enc	denc		0:Co					
Consumer is unable or not attempting to perform task	Consumer is abl 25% of task	e to perfo	orm less	than			er is a of the		perfo	rm 25	5%			er is ab f the to		perforr	n 50%			er is a	able to Isk	o perf	orm 7	5% or		Consu	mer is	s able	to per he task		
lote: Provider may also us	e the followin	g code	s (if a	pplic	able)	: N/	/A-n	ot a	pplic	able	, CR	: Co	nsun	ner R	efus	sal, C	AR:	Cons	ume	er A _l	pt Re	esch	edul	e, P	AR: I	Provi	ider	Apt.	Res	che	du
Objective 1.1	DATE:																														
Task 1:	1 2																														l
Service Worker (initials)																															Ť
Task 2:															,																
Service Worker (initials)																															H
Task 3:																															
Service Worker (initials)																															t
Task 4:																															
Service Worker (initials)																															t
Task 5:																															
Service Worker (initials)																														<u> </u>	
Task 6:																															
Service Worker (initials)																												\vdash		\vdash	\vdash

Month:	Consum	ner:									Med	licai	id ID):	_																
5:Total Assistance	4:Maxima	al Ass	istar	nce	3	3:Mc	der	ate	Assi	stan	ice	2:	Mir	nima	l As	sista	nce	1	:Ma	xim	al Ir	ndep	end	dend				lete			
Consumer is unable or not attempting to perform task	Consumer is a 25% of task	ble to p	erform	less tha		Consun o 48%			o perfo	orm 2!	5%			er is ab f the to		perforr	n 50%		onsun 4% of			o perf	orm 7	75% or		Consu	mer i	s able	to per he task		
ote: Provider may also us	e the followi	ng co	des (i	if appl	icable	e): N	/A-n	ot a	pplic	able	, CR	: Co	nsur	ner F	Refu	sal, C	AR:	Cons	sum	er Ap	ot Re	esch	edu	le, P	AR: I	Provi	ider	Apt.	Res	che	dι
Objective 1.2	DATE:																														
Task 1:																															+
Service Worker (initials)																															Ŧ
Task 2:																															Ī
Service Worker (initials)																															+
Task 3:									6																						
Service Worker (initials)																															ł
Task 4:																															
Service Worker (initials)																															ł
Task 5:																															
Service Worker (initials)																														-	-
Task 6:																															
Service Worker (initials)																														-	Ļ

Month:	Consume	er:									Med	licai	id ID):													-				
5:Total Assistance	4:Maximal	Assist	ance	!	3:	:Mo	dera	ate .	Assis	stan	ce	2:	Mir	nima	l As:	sista	nce	1:	:Ma	xim	al In	ndep	enc	denc		0:Co					
Consumer is unable or not attempting to perform task	Consumer is able 25% of task	e to perfo	orm less	than			er is a of the		perfo	rm 25	5%			er is ab f the to		perforr	n 50%		onsum 1% of		able to	o perf	orm 7	5% or		Consu	mer is	able	to per he task		
l ote : Provider may also us	e the following	g code	s (if a	pplic	able)	: N/	/A-n	ot a	pplic	able	, CR	: Co	nsun	ner R	efus	sal, C	AR:	Cons	ume	er Ap	ot Re	esch	edul	e, P	AR: I	Provi	ider	Apt.	Res	che	du
Objective 1.3	DATE:																														
Task 1:	I																														l
Service Worker (initials)																															Ť
Task 2:															,																
Service Worker (initials)																															H
Task 3:																															
Service Worker (initials)																															-
Task 4:																															
Service Worker (initials)																															-
Task 5:																															
Service Worker (initials)																														-	
Task 6:																															
Service Worker (initials)																														_	\vdash

Month:	Consume	er:									Med	licai	id ID):													-				
5:Total Assistance	4:Maximal	Assist	tance	!	3:	:Mo	dera	ate .	Assis	stan	ce	2:	Mir	nima	l As:	sista	nce	1:	:Ma	xim	al In	ndep	enc	denc		0:Co					
Consumer is unable or not attempting to perform task	Consumer is able 25% of task	e to perfo	orm less	than			er is a of the		perfo	rm 25	5%			er is ab f the to		perforr	n 50%		onsum 1% of		able to	o perf	orm 7	5% or		Consu	mer is	s able	to per he task		
l ote : Provider may also us	e the followin	g code	s (if a	pplic	able)	: N/	/A-n	ot a	pplic	able	, CR	: Co	nsun	ner R	efus	sal, C	AR:	Cons	ume	er Ap	ot Re	esch	edul	e, P	AR: I	Provi	ider	Apt.	Res	che	du
Objective 1.4	DATE:																														
Task 1:	H 2																														l
Service Worker (initials)																															t
Task 2:															,																
Service Worker (initials)																															-
Task 3:																															
Service Worker (initials)																															H
Task 4:																															
Service Worker (initials)																															-
Task 5:																															
Service Worker (initials)																												\vdash		-	
Task 6:																															
Service Worker (initials)																												_		_	\vdash

Month:	Cons	sume	r: _										Med	dica	id IE) :													-				
5:Total Assistance	4:Max	imal	Assis	tano	ce		3:N	Mod	dera	ate /	Assi	star	nce	2:	Mir	nima	ıl As	sista	ince	1	:Ma	xim	al In	ıdep	enc	denc		0:Co					
Consumer is unable or not attempting to perform task	Consume 25% of to		to perf	form le	ess thai	n		sume 8% of			perfo	orm 2.	5%			er is ab of the t		perfori	m 50%			ner is a the ta	able to	perf	orm 7	5% or		Consu	mer is	s able	to per he tasi		
ote: Provider may also use	e the foll	owing	code	es (if	appli	icab	le):	N/A	4-no	ot a _l	oplic	cable	e, CR	: Co	nsur	ner f	Refu	sal, C	CAR:	Con	sum	er A _l	ot Re	esch	edul	e, P	AR: I	Provi	ider	Apt.	Res	ched	lule
Objective 1.5	DATE:																																Average
āsk 1:		AT																															
ervice Worker (initials)																																	
ask 2:																	,																
ervice Worker (initials)																																	
ask 3:																																	
ervice Worker (initials)								7																									
ask 4:																																	
ervice Worker (initials)								7																									
ask 5:																																	
ervice Worker (initials)																															<u> </u>		
ask 6:		_																															
ervice Worker (initials)																																	

Month:	Consume	er:									Med	licai	id ID):													-				
5:Total Assistance	4:Maximal	Assist	ance	!	3:	:Mo	dera	ate .	Assis	stan	ce	2:	Mir	nima	l As:	sista	nce	1:	:Ma	xim	al In	dep	end	lenc				lete nder			
Consumer is unable or not attempting to perform task	Consumer is able 25% of task	e to perfo	orm less	than			er is a of the		perfo	rm 25	5%			er is ab f the to		perforn	n 50%		nsum 1% of 1			perf	orm 75	5% or		Consu	mer is	s able	to per he task		
l ote : Provider may also us	e the followin	g code	s (if a	pplic	able)	: N/	/A-n	ot a	pplic	able	, CR	: Co	nsun	ner R	efus	sal, C	AR:	Cons	ume	er Ap	ot Re	esch	edul	e, P	AR: [Provi	ider	Apt.	Res	che	du
Objective 2.1	DATE:																														
Task 1:																															l
Service Worker (initials)																															t
Task 2:															,																
Service Worker (initials)																															-
Task 3:																															
Service Worker (initials)																															ŀ
Task 4:																															
Service Worker (initials)																															
Task 5:																															
Service Worker (initials)																														_	-
Task 6:																															
Service Worker (initials)																												_		_	\vdash

Month:	Consume	r:									Med	lica	id IE) :	_												_				
5:Total Assistance	4:Maximal	Assist	ance		3:	:Mo	der	ate	Assi	stan	ice	2:	Mir	nima	ıl As	sista	nce	1	:Ma	axim	al Ir	ndep	oend	dend		0:Co					
Consumer is unable or not attempting to perform task	Consumer is able 25% of task	e to perfo	orm less	than			ner is a of the		o perfo	rm 2	5%			er is ab		perfori	m 50%		onsun 4% of		able to	o perf	orm 7	'5% or		Consu	ımer i	is able	to per he tasi		
lote: Provider may also us	e the followin	g code:	s (if a	pplica	able)	: N/	/A-n	ot a	pplic	able	, CR	: Co	nsur	ner F	Refu	sal, (CAR:	Con	sum	er A	pt Re	esch	edu	le, P	AR:	Prov	ider	Apt	. Res	che	du
Objective 2.2	DATE:																														
Task 1:																															
Service Worker (initials)																												\vdash			Ť
Task 2:																															
Service Worker (initials)																															H
Task 3:									5																						
Service Worker (initials)																												 	-		-
Task 4:																															
Service Worker (initials)																												\vdash			1
Task 5:																															
Service Worker (initials)																												\vdash	-		
Task 6:																															
Service Worker (initials)					<u> </u>				<u> </u>				1															 	\vdash		\vdash

Month:	Consume	er:									Med	licai	id ID):													-				
5:Total Assistance	4:Maximal	Assist	ance	!	3:	:Mo	dera	ate .	Assis	stan	ce	2:	Mir	nima	l As:	sista	nce	1:	:Ma	xim	al In	dep	end	enc		0:Co					
Consumer is unable or not attempting to perform task	Consumer is abl 25% of task	e to perfo	orm less	than			er is a of the		perfo	rm 25	5%			er is ab f the to		perforn	n 50%		nsum 1% of 1			perf	orm 75	5% or		Consu	mer is	s able	to per he task		
l ote : Provider may also us	e the followin	g code	s (if a	pplic	able)	: N/	/A-n	ot a	pplic	able	, CR	: Co	nsun	ner R	efus	sal, C	AR:	Cons	ume	er Ap	ot Re	esch	edul	e, P/	4R: [Provi	ider	Apt.	Res	che	du
Objective 2.3	DATE:																														
Task 1:																															
Service Worker (initials)																															t
Task 2:															,																
Service Worker (initials)																															H
Task 3:																															
Service Worker (initials)																															-
Task 4:																															
Service Worker (initials)																															1
Task 5:																															
Service Worker (initials)																												<u> </u>		-	
Task 6:																															
Service Worker (initials)																												\vdash		-	\vdash

Month:	Consume	er:									Med	licai	id ID):													-				
5:Total Assistance	4:Maximal	Assist	tance	!	3:	:Mo	dera	ate .	Assis	stan	ce	2:	Mir	nima	l As:	sista	nce	1:	:Ma	xim	al In	dep	end	lenc				lete nder			
Consumer is unable or not attempting to perform task	Consumer is able 25% of task	e to perfo	orm less	than			er is a of the		perfo	rm 25	5%			er is ab f the to		perforr	n 50%		nsum!% of i			perf	orm 75	5% or		Consu	mer is	s able	to per he task		
l ote : Provider may also us	e the followin	g code	s (if a	pplic	able)	: N/	/A-n	ot a	pplic	able	, CR	: Co	nsun	ner R	efus	sal, C	AR:	Cons	ume	er Ap	ot Re	esch	edul	e, P	AR: [Provi	der	Apt.	Res	che	du
Objective 2.4	DATE:																														
Task 1:																															İ
Service Worker (initials)																															Ť
Task 2:															,																
Service Worker (initials)																															-
Task 3:																															
Service Worker (initials)																															H
Task 4:																															
Service Worker (initials)																															-
Task 5:																															
Service Worker (initials)																												\vdash		-	
Task 6:																															
Service Worker (initials)																												_		_	\vdash

Month:	Consum	er:										Med	dica	id ID):	_												_				
5:Total Assistance	4:Maxima	ıl Ass	istar	nce		3:M	lod	dera	te A	Assis	stan	ice	2:	Mir	nima	ıl As	sista	ance	· 1	1:Ma	axim	nal Ir	nder	oen	dend		0:Co					
Consumer is unable or not attempting to perform task	Consumer is al 25% of task	ble to po	erform	less tha				er is ab f the t		perfo	rm 2!	5%			er is ab f the t		perfor	m 50%		Consur 94% of			o perf	form 7	75% or	-	Consu	ımer i	s able	to per he tasi		
ote: Provider may also us	e the followi	ng co	des (i	if app	licab	e): I	N//	A-no	t ap	plic	able	, CR	: Co	nsur	ner f	Refu	sal, (CAR:	Con	sum	er A	pt R	esch	edu	le, P	AR:	Prov	ider	Apt.	Res	che	dι
Objective 2.5	DATE:													4																		
Task 1:																																1
Service Worker (initials)																																Ŧ
Task 2:																																
Service Worker (initials)																																+
Task 3:																																
Service Worker (initials)							1																									t
Task 4:																																l
Service Worker (initials)																																+
Task 5:																																Ī
Service Worker (initials)																																-
Task 6:																																İ
Service Worker (initials)																													<u> </u>	<u> </u>	_	Ŧ

Month:	Consum	er:									Med	dica	id IE):	_												_				
5:Total Assistance	4:Maxima	al Ass	istar	nce		3:M	ode	erate	Ass	ista	nce	2:	Mir	nima	ıl As	sista	ince	1	:Ma	ıxim	al Ir	ndep	oend	dend		0:Co					
Consumer is unable or not attempting to perform task	Consumer is at 25% of task	ble to pe	erform	less tha				is able he tasl		form 2	25%			er is ab of the t		perfori	n 50%		onsun 4% of		able to isk	o perf	orm 7	75% or		Consu	ımer i	s able	to per he tasi		
ote: Provider may also us	e the followi	ng co	des (i	if appl	icabl	e): N	I/A-	-not a	appli	cabl	e, CR	: Co	nsur	ner F	Refu	sal, C	CAR:	Con	sum	er A _l	pt Re	esch	edu	le, P	AR: I	Prov	ider	Apt.	Res	che	dι
Objective 3.1	DATE:																														
ask 1:																															
ervice Worker (initials)																															-
āsk 2:)																
ervice Worker (initials)																															1
āsk 3:																															
ervice Worker (initials)							1																								_
āsk 4:																															
ervice Worker (initials)																															_
ask 5:																															
ervice Worker (initials)																															-
ask 6:																															
ervice Worker (initials)																															_

Month:	Consum	er:										Med	dica	id ID):	_												_				
5:Total Assistance	4:Maxima	ıl Ass	istar	nce		3:M	lod	dera	te A	Assis	stan	ice	2:	Mir	nima	l As	sista	nce	1	L:Ma	axim	ıal Ir	ndep	oen	dend		0:Co					
Consumer is unable or not attempting to perform task	Consumer is at 25% of task	ble to po	erform	less tha		Consu to 48%				perfo	rm 2!	5%			er is ab f the t		perfori	m 50%		Consun 14% of			o perf	form 7	75% or	-	Consu	ımer i.	s able	to per he tasi		
ote : Provider may also us	e the followi	ng co	des (i	if appl	licabl	e): I	N/A	A-no	t ap	plic	able	, CR	: Co	nsur	ner F	Refu	sal, (CAR:	Con	sum	er A	pt Re	esch	edu	le, P	AR:	Prov	ider	Apt.	Res	che	dι
Objective 3.2	DATE:																															
Task 1:																																1
Service Worker (initials)																																Ŧ
Task 2:																																
Service Worker (initials)																																+
Task 3:																																
Service Worker (initials)							1																									Ŧ
Task 4:																																Ì
Service Worker (initials)																																+
Task 5:																																T
Service Worker (initials)																																+
Task 6:																																İ
Service Worker (initials)																																Ŧ

Month:	Consum	er:									Med	dica	id ID):	_												_				
5:Total Assistance	4:Maxima	l Ass	istan	ice		3:Mc	ode	rate	Assi	star	nce	2:	Mir	nima	l As:	sista	nce	1	:Ma	axim	al Ir	ndep	enc	dend		0:Co					
Consumer is unable or not attempting to perform task	Consumer is all 25% of task	ole to pe	erform	less tha		Consun o 48%			to perf	orm 2	5%			er is ab f the to		perforr	n 50%			ner is the to	able to isk	o perf	orm 7	75% or		Consu	ımer i	s able	to per he tasi		
ote: Provider may also us	e the followi	ng cod	des (i	if appl	icable	e): N	/A-ı	not a	pplic	able	e, CR	: Co	nsur	ner F	Refu	sal, C	AR:	Cons	sum	er A	pt Re	esch	edu	le, P	AR: I	Prov	ider	Apt.	Res	che	dι
Objective 3.3	DATE:																														
Task 1:																															+
Service Worker (initials)																															t
Task 2:																															
Service Worker (initials)																															ł
Task 3:									4																						
Service Worker (initials)																															t
Task 4:																															
Service Worker (initials)																															-
Task 5:																															
Service Worker (initials)																															-
Task 6:																															İ
Service Worker (initials)																												<u> </u>		<u> </u>	+

Month:	Consume	er:									Med	licai	id ID):													-				
5:Total Assistance	4:Maximal	Assist	ance	!	3:	:Mo	dera	ate .	Assis	stan	ice	2:	Mir	nima	l As:	sista	nce	1:	:Ma	xim	al In	ndep	enc	denc		0:Co					
Consumer is unable or not attempting to perform task	Consumer is able 25% of task	e to perfo	orm less	than			er is a of the		perfo	rm 25	5%			er is ab f the to		perforr	n 50%		onsum 1% of		able to	o perf	orm 7	5% or		Consu	mer is	s able	to per he task		
l ote : Provider may also us	e the followin	g code	s (if a	pplic	able)	: N/	/A-n	ot a	pplic	able	, CR	: Co	nsun	ner R	efus	sal, C	AR:	Cons	ume	er Ap	ot Re	esch	edul	e, P	AR: I	Provi	ider	Apt.	Res	che	du
Objective 3.4	DATE:																														
Task 1:	H 2																														l
Service Worker (initials)																															Ť
Task 2:															,																
Service Worker (initials)																															-
Task 3:																															
Service Worker (initials)																															H
Task 4:																															
Service Worker (initials)																															-
Task 5:																															
Service Worker (initials)																												\vdash		-	
Task 6:																															
Service Worker (initials)																												_		_	\vdash

Month:	Consume	er:									Med	dica	id ID) :													-				
5:Total Assistance	4:Maximal	Assist	ance		3:	:Mo	der	ate .	Assis	stan	ice	2:	Mir	nima	l As:	sista	nce	1	:Ma	xim	al Ir	ndep	enc	denc		0:Co					
Consumer is unable or not attempting to perform task	Consumer is abl 25% of task	e to perfo	orm less	than			er is a of the		perfo	rm 25	5%			er is ab f the to		perforr	n 50%		onsum 1% of		able to	o perf	orm 7	5% or		Consu	mer is	s able	to per he task		
lote : Provider may also us	e the followin	g code:	s (if ap	oplica	able)	: N/	/A-n	ot a	pplic	able	, CR	: Co	nsur	ner F	Refu	sal, C	AR:	Cons	ume	er Ap	ot Re	esch	edul	e, P	AR: I	Prov	ider	Apt.	Res	che	du
Objective 3.5	DATE:																														
Task 1:																															
Service Worker (initials)																															H
Task 2:																															
Service Worker (initials)																															1
Task 3:																															
Service Worker (initials)																															-
Task 4:																															
Service Worker (initials)																															-
Task 5:																															
Service Worker (initials)																															
Task 6:																															
Service Worker (initials)					-																							_		<u> </u>	\vdash

Month:	Consum	er:									Med	licai	id ID):	_												_				
5:Total Assistance	4:Maxima	l Assis	stanc	e	3:	:Mo	dera	ate /	Assis	stan	ce	2:	Mir	nima	l As:	sista	nce	1	:Ma	xim	al Ir	ndep	end	dend		0:Co					
Consumer is unable or not attempting to perform task	Consumer is ab 25% of task	le to perj	form le	ess than			er is a of the		perfo	rm 25	5%			er is ab f the to		perforr	n 50%		onsum 4% of			o perf	orm 7	'5% or		Consu	ımer i	s able	to per he tasi		
ote: Provider may also us	e the followir	g code	es (if	applic	able)	: N/	/A-n	ot ap	oplic	able	, CR	: Co	nsun	ner R	efus	sal, C	AR:	Cons	sume	er A _l	ot Re	esch	edu	le, P	AR: I	Prov	ider	Apt.	Res	che	d
Objective 4.1	DATE:																														
ask 1:	1 2																														_
ervice Worker (initials)																															_
ask 2:)																
ervice Worker (initials)																															_
ask 3:																															-
ervice Worker (initials)																															
ask 4:																															_
ervice Worker (initials)																															
ask 5:																															
ervice Worker (initials)																															-
ask 6:																															
ervice Worker (initials)																															_

Month:	Cons	umer	:									Med	licai	id ID):													-				
5:Total Assistance	4:Max	imal <i>i</i>	Assist	tance	<u>.</u>	3	:Мо	der	ate .	Assi	stan	ice	2:	Mir	nima	l As	sista	nce	1	:Ma	xim	al In	idep	enc	denc		0:Co					
Consumer is unable or not attempting to perform task	Consumer 25% of ta		to perf	orm les	s than		onsum 9 48% (perfo	orm 2	5%			er is ab f the to		perforr	m 50%			ner is o	able to	perf	orm 7	5% or		Consu	mer is	s able	to per he task	form	
ote : Provider may also us	e the follo	owing	code	s (if a	pplica	able)): N/	/A-n	ot a	pplic	able	, CR	: Co	nsur	ner F	Refus	sal, C	CAR:	Con	sum	er A _l	ot Re	esch	edul	e, P	AR: I	Provi	ider	Apt.	Res	ched	lule
Objective 4.2	DATE:																															Average
ask 1:		-																														
ervice Worker (initials)																																
ask 2:																																
ervice Worker (initials)																																
ask 3:																																
ervice Worker (initials)																																
āsk 4:																																
ervice Worker (initials)																																
ask 5:																																
ervice Worker (initials)																																
ask 6:		-																														
ervice Worker (initials)																																

Month:	Cons	umer	:									Med	licai	id ID):													-				
5:Total Assistance	4:Max	imal <i>i</i>	Assist	tance	<u>.</u>	3	:Мо	der	ate .	Assi	stan	ice	2:	Mir	nima	l As	sista	ince	1	:Ma	xim	al In	idep	enc	denc		0:Co					
Consumer is unable or not attempting to perform task	Consumer 25% of ta		to perfo	orm les	s than		onsum 9 48% (perfo	orm 2	5%			er is ab f the to		perforr	m 50%			ner is o	able to	perf	orm 7	5% or		Consu	mer is	s able	to per he task	form k	
ote : Provider may also us	e the follo	owing	code	s (if a	pplica	able)): N/	/A-n	ot a	pplic	able	, CR	: Co	nsur	ner F	Refus	sal, C	CAR:	Con	sum	er A _l	ot Re	esch	edul	e, P	AR: I	Provi	ider	Apt.	Res	ched	lule
Objective 4.3	DATE:																															Average
ask 1:		-																														
ervice Worker (initials)																																
ask 2:																																
ervice Worker (initials)																																
ask 3:																																
ervice Worker (initials)																																
ask 4:																																
ervice Worker (initials)																																
āsk 5:																																
ervice Worker (initials)																																
ask 6:		-																														
ervice Worker (initials)																																

Month:	Consum	er:									Med	licai	id ID):	_												-				
5:Total Assistance	4:Maxima	l Ass	istan	ice	3	:Mo	der	ate .	Assis	stan	ice	2:	Mir	nima	l As:	sista	nce	1	:Ma	xim	al In	dep	end	lenc		0:Co					
Consumer is unable or not attempting to perform task	Consumer is all 25% of task	ole to pe	erform	less thar		onsum 0 48%			perfo	orm 25	5%			er is ab		perforr	n 50%		nsum 1% of 1			perf	orm 7:	5% or		Consu	mer is	s able	to per he task		,
ote: Provider may also us	e the followin	ng cod	des (i	f appli	cable): N,	/A-n	ot a	pplic	able	, CR	: Co	nsun	ner R	efus	sal, C	AR:	Cons	ume	er Ap	ot Re	esch	edul	e, P	AR: F	Provi	der	Apt.	Res	che	d
Objective 4.4	DATE:																														
ask 1:																															
ervice Worker (initials)																															_
ask 2:)																_
ervice Worker (initials)																															_
ask 3:																															-
ervice Worker (initials)																															
ask 4:																															
ervice Worker (initials)																															
ask 5:																															
ervice Worker (initials)																															-
ask 6:																															
ervice Worker (initials)																														\vdash	_

Month:	Consum	er:									Med	dica	id ID) :	_												_				
5:Total Assistance	4:Maxima	l Ass	istan	ice		3:Mc	ode	rate	Assi	star	nce	2:	Mir	nima	l As:	sista	nce	1	:Ma	axim	al Ir	ndep	oend	dend		0:Co					
Consumer is unable or not attempting to perform task	Consumer is all 25% of task	ole to pe	erform	less tha		Consun o 48%			o perfo	orm 2.	5%			er is ab If the to		perforr	n 50%			ner is the to	able to isk	o perf	orm 7	75% or		Consu	ımer i.	s able	to per he tasi		,
ote: Provider may also us	e the followi	ng cod	des (i	if appl	icable	e): N	/A-ı	not a	pplic	able	e, CR	: Co	nsur	ner F	Refu	sal, C	AR:	Cons	sum	er A	ot Re	esch	edu	le, P	AR: I	Prov	ider	Apt.	Res	che	dι
Objective 4.5	DATE:																														
Task 1:																															+
Service Worker (initials)																															t
Task 2:																															
Service Worker (initials)																															ł
Гask 3:									 																						
Service Worker (initials)																															+
Task 4:																															
Service Worker (initials)																															
Task 5:																															
Service Worker (initials)																															
Task 6:																															
Service Worker (initials)																														_	ł